

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	2	(shar\$3 with (storage database repository)) and (configuration with device) and ((suppl\$4 provid\$3 allocat\$4 filter\$3) with (resource record data) with (compar\$3) with (configuration mask bit \$1mask)) and (mask \$3 bit\$1mask) and (media medium product)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 06:43
S1	28	((plurality several multiple many) with (user client)) and ((record table) with (program software application) with (feature attribute) with (compatible compatibility))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/06 12:23
S2	7	((plurality several multiple many) with (user client)) and ((record table) with (program software application) with (feature attribute) with (compatible compatibility)) and (mask\$3 bit\$1mask)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/06 12:23
S3	8	((plurality several multiple many) with (user client)) and ((record table) with (version program software application) with (feature attribute) with (compatible compatibility)) and (mask\$3 bit\$1mask)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/06 12:25

S4	37557	(adapt\$6 with (software program application records data) with (user end \$1user client))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/06 12:30
S5	202	(adapt\$6 with (software program application records data) with (user end \$1user client)) and ((mask\$3 bit\$1mask \$3) with (feature attribute))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/06 12:31
S6	0	(adapt\$6 with (software program application records data) with (user end \$1user client)) and ((mask\$3 bit\$1mask \$3) with (feature attribute)) and ((data \$1base repository table store storage warehouse) with (compatible compatibility) with (plurality several many multiple) with (user end\$1user client))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/06 12:33
S7	44	(adapt\$6 with (software program application records data) with (user end \$1user client)) and ((mask\$3 bit\$1mask \$3) with (feature attribute)) and ((data \$1base repository table store storage warehouse) with (plurality several many multiple) with (user end\$1user client))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/06 12:33

S8	4	((mask\$3 bit\$1mask\$3) with (feature attribute)) and ((data \$1base repository table store storage warehouse) with (compatible compatibility) with (plurality several many multiple) with (user end\$1user client))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/06 12:34
S9	210	(database with compatible with (multiple plurality many several) with (system client user end \$1user))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/06 12:36
S10	10	(database with compatible with (multiple plurality many several) with (system client user end \$1user)) and (mask\$3 bit\$1mask\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/06 12:37
S11	2680	((database repository) with (plurality several multiple many) with device with (compatible compatibility accessible access\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/06 16:39
S12	178	((database repository) with (plurality several multiple many) with device with (compatible compatibility accessible access\$3)) and (mask\$3 bit \$1mask\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/06 16:40
S13	24	((database repository) with (plurality several multiple many) with device with (compatible compatibility accessible access\$3)) and ((mask\$3 bit \$1mask\$3) with device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/06 16:40

S14	27	((database repository) with (plurality several multiple many) with device with (compatible compatibility accessible access\$3)) and ((mask\$3 bit \$1mask\$3) with (feature attribute field))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/06 16:41
S15	0	((database repository) with (plurality several multiple many) with device with (compatible compatibility accessible access\$3)) and (feature adj mask \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/06 16:45
S16	2	"20050021535"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/06 16:46
S17	2687	(feature adj mask)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/06 16:48
S18	7	(feature adj mask) with (data database repository table) with (record entry row)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/06 16:49
S19	897	(filter\$3 with database with device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/06 16:51
S20	157	(filter\$3 with database with (device system) with (configuration requirement))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/06 16:51

S21	33	(filter\$3 with database with (device system) with (configuration requirement)) and (mask\$3 bit\$1mask\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/06 16:52
S22	4	"707"/.ccls. and (filter \$3 with database with (device system) with (configuration requirement)) and (mask\$3 bit\$1mask\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/06 17:00
S23	574	((database repository store storage warehouse) with compatib\$8 with (plurality multiple several many) with device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 02:38
S24	5	((database repository store storage warehouse) with compatib\$8 with (plurality multiple several many) with device) and ((mask\$3 bit\$1mask) with (feature configuration parameter))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 02:39
S25	40	((database repository store storage warehouse) with compatib\$8 with (plurality multiple several many) with device) and mask\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 02:41
S26	6	((database repository store storage warehouse) with compatib\$8 with (plurality multiple several many) with device) and mask\$3 and (customi\$8 with (application software gui interface))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 02:42

S27	6	((database repository store storage warehouse) with compatib\$8 with (plurality multiple several many) with device) and mask\$3 and (customi\$8 with (application software gui interface ui))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 02:42
S28	9	((database repository store storage warehouse) with compatib\$8 with (plurality multiple several many) with device) and mask\$3 and (device with configuration) and ((resource record application logical) with configuration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 02:52
S29	9	((database repository store storage warehouse) with compatib\$8 with (plurality multiple several many) with device) and (mask\$3 bit\$1mask\$3) and (device with configuration) and ((resource record application logical) with configuration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 02:52
S30	497	((database repository store storage warehouse) with (map \$4 navigation gps)) and (device with configuration) and (mask\$3) and ((compatib\$7 complian \$4) with device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 02:58

S31	42	((database repository store storage warehouse) with (map \$4 navigation gps)) and (device with configuration) and (mask\$3) and ((compatib\$7 complian \$4) with device with (feature record))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 02:59
S32	17	((database repository store storage warehouse) with (map \$4 navigation gps)) and (device with configuration) and (mask\$3) and ((compatib\$7 complian \$4) with device with (feature record)) and (navigat\$4 gps)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 02:59
S33	83	(compar\$4 with device with configuration with record)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 03:01
S34	6	(compar\$4 with device with configuration with record) and (mask\$3 bit\$1mask)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 03:02
S35	9	(compar\$4 with device with (configuration profile) with record) and (mask\$3 bit \$1mask)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 03:03
S36	26937	(feature with mask\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 03:21
S37	42	(feature with mask\$3) and (shar\$3 with (storage database repository)) and (configuration with table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 03:22

S38	1	(feature with mask\$3) and (shar\$3 with (storage database repository)) and (configuration with table) and ((compatib\$7 complian\$3) with device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 03:23
S39	11	(shar\$3 with (storage database repository)) and (configuration with device) and ((suppl\$4 provid\$3 allocat\$4 filter\$3) with (resource record data) with (compar\$3) with configuration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 03:27
S40	3	(shar\$3 with (storage database repository)) and (configuration with device) and ((suppl\$4 provid\$3 allocat\$4 filter\$3) with (resource record data) with (compar\$3) with (configuration mask bit \$1mask)) and (mask \$3 bit\$1mask)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 03:28

7/ 21/ 2008 7:14:49 AM

C:\ Documents and Settings\ klove\ My Documents\ EAST\ Workspaces\ 10627492  
\ 10627492\_2.w sp